



CARO.ca 1-888-311-8846

#110-4011 Viking Way, Richmond, BC V6V 2K9
#102-3677 Highway 97N, Kelowna, BC V1X 5C3
17225 109 Avenue NW, Edmonton, AB T5S 1H7

CHAIN OF CUSTODY RECORD COC# PAGE OF

RELINQUISHED BY: DATE: RECEIVED BY: DATE:
TIME: TIME:
TURNAROUND TIME REQUESTED: Routine: (5-7 Days)
Rush: 1 Day* 2 Day* 3 Day*
REGULATORY APPLICATION: Show on Report
Canadian Drinking Water Quality
AB T1 SOIL/GW: NA AG RES/PL CL IL
AB SWQG: FWAL IW LW
*Contact Lab To Confirm. Surcharge May Apply
CCME: Other:

REPORT TO: COMPANY: ADDRESS: CONTACT: TEL/FAX: DELIVERY METHOD: EMAIL MAIL OTHER*
DATA FORMAT: EXCEL WATERTRAX ESdat EQUIS AEP EMS OTHER*
EMAIL 1: EMAIL 2: EMAIL 3:

INVOICE TO: SAME AS REPORT TO COMPANY: ADDRESS: CONTACT: TEL/FAX: DELIVERY METHOD: EMAIL MAIL OTHER*
EMAIL 1: EMAIL 2: EMAIL 3: PO #:

PROJECT NUMBER / INFO: A: Biohazard D: Asbestos G: Strong Odour
B: Cyanide E: Heavy Metals H: High Contamination
C: PCBs F: Flammable I: Other (please specify*)

ANALYSES REQUESTED:

Table with columns for various analyses: BTEX, VOC, DISSOLVED METALS, TOTAL METALS, SOIL METALS, SOIL SALINITY, CLASS 2 LANDFILL, ROUTINE WATER, COD, TSS, AMMONIA, TO&G, TCOL, TOXICITY, PSA, etc. Includes a 'HOLD' column and 'POSSIBLE SAMPLE HAZARD CODE(S)' column.

SAMPLED BY:

MATRIX: SAMPLING: COMMENTS:

Main data table with columns: CLIENT SAMPLE ID, DRINKING WATER, OTHER WATER, SOIL, OTHER, CONTAINER QTY, DATE, TIME, CHLORINATED, FILTERED, PRESERVED, COMMENTS.

SHIPPING INSTRUCTIONS: Return Cooler(s) Supplies Needed:

SAMPLE RETENTION: 30 Days (default) 60 Days 90 Days Other (surcharges will apply):

* OTHER INSTRUCTIONS: If you would like to talk to a real live Scientist about your project requirements, please check here:

SAMPLE RECEIPT CONDITION: COOLER 1 (°C): ICE: Y N COOLER 2 (°C): ICE: Y N COOLER 3 (°C): ICE: Y N CUSTODY SEALS INTACT: NA Y N